



















## References

- [1]. Bhandari, T. R. and Dangal, G. (2014). Emergency Obstetric Care: Strategy for Reducing Maternal Mortality in Developing Countries. *NJOG*, 9 (17): 8-16. Available from: <http://njog.org.np/njog/index.php/njog/article/download/71/43/>.
- [2]. Bjarke, L. S., Elsass, P., Brigitte, B. N., Massawe, S., Nyakina, J., Vibeke, R. (2010) Substandard emergency obstetric care - a confidential enquiry into maternal deaths at a regional hospital in Tanzania. *Tropical Medicine and International Health*, 15(8): 894-900. DOI: 10.1111/j.1365-3156.2010.02554.x.
- [3]. Borgen project. (2016). The “Three Delays” at the Root of Maternal Mortality. Borgen project [Blog Post]. Available from <https://borgenproject.org/the-three-delays-maternal-mortality/>.
- [4]. Cavallaro, F. L. and Marchant, T. J. (2013). Responsiveness of Emergency Obstetric Care Systems in Low- and Middle-Income Countries: A Critical Review of the “Third Delay”. *London School of Tropical Medicine Research Online*; 92 (5): 496-507. DOI: 10.1111/aogs.12071.
- [5]. Hannah, E. K., Alice, S. and Stephen, H. K. (2013). Why Are Women Dying When They Reach Hospital on Time? A Systematic Review of the ‘Third Delay’. *Plos one*; 8 (5). DOI : <https://doi.org/10.1371/journal.pone.0063846>.
- [6]. Helelo, A. Z., Zungu, L. I. and Chiegil, R. J. (2015). What Creates Good Experiences for EmOC Clients in Public Health Facilities in Ethiopia? *South African Family Practice*, 57 (3): 203-207. DOI: 10.1080/20786190.2015.1024014.
- [7]. Israel, G. D. (1992). Determining Sample Size. [Pdf online] 1992. Available from: <https://www.tarleton.edu/academicassessment/documents/Samplesize.pdf>.
- [8]. Ministry of Health [MoH] Uganda. *Annual Health Sector Performance Report: Financial Year 2014/2015*. Kampala: Author; 2015.
- [9]. Mismay G, Morrow RH. (n.d). Delay in Seeking and Receiving Emergency Obstetric Care in Eritrea. *Journal of Eritrean Medical Association (JEMA)*. Available from <https://www.ajol.info/index.php/jema/article/viewFile/52700/41303>.
- [10]. Polonia, G. (2013). Analysis of sample size in consumer surveys [Pdf online] 2013. Available at [http://ec.europa.eu/economy\\_finance/db\\_indicators/surveys/documents/workshops/2013/pl-gfk\\_k.\\_pusczak\\_-\\_sample\\_size\\_in\\_customer\\_surveys\\_v2\\_2.pdf](http://ec.europa.eu/economy_finance/db_indicators/surveys/documents/workshops/2013/pl-gfk_k._pusczak_-_sample_size_in_customer_surveys_v2_2.pdf).
- [11]. Rodolfo, C. P, et al. (2014). Delays in receiving obstetric care and poor maternal outcomes: results from a national multicentre cross-sectional study. *BMC Pregnancy and Childbirth* 2014; 14(159). DOI: 10.1186/1471-2393-14-159.
- [12]. Thaddeus, S. and Maine, D. (1994). Too Far to Walk: Maternal Mortality in Context. *Social Science and Medicine*, 38 (8): 1091-1110. DOI: 10.1016/0277-9536(94)90226-7.
- [13]. Uganda Bureau of Statistic [UBOS]. *National Population and Housing Census 2014*. Kampala: Author; 2015.
- [14]. United Nations Development Programme [UNDP]. (2017). Sustainable Development Goal, Goal 3 targets. [Blog Post]. Available from <http://www.undp.org/content/undp/en/home/sustainable-development-goals/goal-3-good-health-and-well-being/targets/>
- [15]. United Nations Population Fund [UNFPA]. (2014). Setting Standards for Emergency Obstetric and Newborn Care. [Blog Post]. Available from <http://www.unfpa.org/resources/setting-standards-emergency-obstetric-and-newborn-care>.
- [16]. World Health Organization [WHO]. (2009). *Monitoring Emergency Obstetric Care: A Handbook*. Geneva: Author.
- [17]. World Health Organization [WHO]. (2015). Applying the Lessons of Maternal Mortality Reduction to Global Emergency Health. *Bulletin of the World Health Organization*; 93: 417-423. DOI: <http://dx.doi.org/10.2471/BLT.14.146571>.
- [18]. World Health Organization [WHO]. (2016). World Health Statistics data visualizations Dashboard. [Blog Post]. Available from <http://apps.who.int/gho/data/node.sdg.3-1?lang=en>.